



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

ATCHISON

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:
017359

WELL TYPE
Oil Well

DRILL DATE: 1958/07/19

TOWNSHIP RANGE SECTION

ELEVATION: 878FT

DRILL DEPTH: 2,386FT

4N

17E

32

UTM X

UTM Y

DEPTH TO BED: 100FT

284,679.46

4,461,415.06

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 CHRISTIAN - DRY & ABANDONED - 10' SAMPLES - PLUGGED

S.W.L. (AFTER CASING):

LOG ID:
024539

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1967/01/11

TOWNSHIP RANGE SECTION

ELEVATION: 907FT

DRILL DEPTH: 37FT

5N

16E

5

UTM X

UTM Y

DEPTH TO BED:

274,597.25

4,477,995.63

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: RIVER PROFILE STUDY - ALLUVIUM TO TD

S.W.L. (AFTER CASING):

LOG ID:
018220

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1959/05/18

TOWNSHIP RANGE SECTION

ELEVATION: 1,022FT

DRILL DEPTH: 199FT

63N

38W

16

UTM X

UTM Y

DEPTH TO BED:

313,087.38

4,460,647.35

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: WATER TEST #1181

S.W.L. (AFTER CASING):

LOG ID:
028691

WELL TYPE
Oil Well

DRILL DATE: 1988/12/20

TOWNSHIP RANGE SECTION

ELEVATION: 1,048FT

DRILL DEPTH: 3,930FT

63N

38W

18

UTM X

UTM Y

DEPTH TO BED: 350FT

310,362.43

4,460,715.39

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 SLEMONS

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027672**WELL TYPE

Oil Well

DRILL DATE: 1974/09/27TOWNSHIP RANGE SECTION

63N

38W

5

ELEVATION: 1,015FTDRILL DEPTH: 2,540FTDEPTH TO BED: 215FTUTM X UTM Y

312,924.38 4,462,631.39

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 HINDMAN - PLUGGED & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****018078**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1959/05/08TOWNSHIP RANGE SECTION

63N

38W

6

ELEVATION: 1,088FTDRILL DEPTH: 272FTDEPTH TO BED: 270FTUTM X UTM Y

311,398.40 4,462,594.42

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: WATER TEST #1176S.W.L. (AFTER CASING):**LOG ID:****018076**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1959/05/07TOWNSHIP RANGE SECTION

63N

39W

1

ELEVATION: 982FTDRILL DEPTH: 241FTDEPTH TO BED: 238FTUTM X UTM Y

308,375.45 4,462,663.48

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: WATER TEST #1174S.W.L. (AFTER CASING):**LOG ID:****018080**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1959/05/14TOWNSHIP RANGE SECTION

63N

39W

10

ELEVATION: 935FTDRILL DEPTH: 218FTDEPTH TO BED: 215FTUTM X UTM Y

305,080.45 4,462,552.57

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: WATER TEST #1178S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018075

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1959/05/06	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	950FT
<u>DRILL DEPTH:</u>	255FT	63N	39W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	250FT				306,412.46	4,460,937.49
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	WATER TEST #1173			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
018081

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1959/05/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	999FT
<u>DRILL DEPTH:</u>	270FT	63N	39W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	263FT				301,874.46	4,462,811.66
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	WATER TEST #1179			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
018082

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1959/05/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	957FT
<u>DRILL DEPTH:</u>	234FT	63N	40W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	233FT				300,104.46	4,462,947.72
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	WATER TEST #1180			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
008029

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1942/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	944FT
<u>DRILL DEPTH:</u>	162FT	63N	40W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	58FT				296,794.47	4,462,246.79
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	40					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028635**WELL TYPE

Oil Well

DRILL DATE: 1984/12/31TOWNSHIP RANGE SECTION

63N 40W 10

ELEVATION: 1,002FTDRILL DEPTH: 3,450FTUTM X UTM YDEPTH TO BED: 410FT296,794.47 4,461,428.76
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 URBAN - DRYS.W.L. (AFTER CASING):**LOG ID:****028661**WELL TYPE

Oil Well

DRILL DATE: 1987/11/20TOWNSHIP RANGE SECTION

63N 40W 10

ELEVATION: 889FTDRILL DEPTH: 2,440FTUTM X UTM YDEPTH TO BED: 1,000FT295,894.47 4,462,758.83
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 DALPHIA SCARLETT - DRYS.W.L. (AFTER CASING):**LOG ID:****025504**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIP RANGE SECTION

63N 40W 11

ELEVATION: 982FTDRILL DEPTH: 3,450FTUTM X UTM YDEPTH TO BED:297,523.47 4,462,304.77
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 MARIE McCANLES - PLUGGED & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****001506**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

63N 40W 13

ELEVATION: 940FTDRILL DEPTH: 180FTUTM X UTM YDEPTH TO BED: 5FT299,895.46 4,461,038.67
ZONE 15S.W.L. (BEFORE CASING):REMARKS: "SURFACE - 49' BELOW NYMAN COAL"S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019414

WELL TYPE
Oil Well

DRILL DATE: 1960/12/25

TOWNSHIP RANGE SECTION

ELEVATION: 898FT

DRILL DEPTH: 3,145FT

63N 40W 15

UTM X UTM Y

DEPTH TO BED: 800FT

295,439.47 4,459,913.75
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 FLETCHER - E-LOG AVAILABLE

S.W.L. (AFTER CASING):

LOG ID:
028659

WELL TYPE
Oil Well

DRILL DATE: 1987/12/07

TOWNSHIP RANGE SECTION

ELEVATION: 892FT

DRILL DEPTH: 2,813FT

63N 40W 15

UTM X UTM Y

DEPTH TO BED: 405FT

296,039.47 4,460,530.76
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 WRIGHT FARMS - OIL

S.W.L. (AFTER CASING):

LOG ID:
028670

WELL TYPE
Oil Well

DRILL DATE: 1987/05/21

TOWNSHIP RANGE SECTION

ELEVATION: 880FT

DRILL DEPTH: 2,790FT

63N 40W 15

UTM X UTM Y

DEPTH TO BED: 180FT

295,439.47 4,460,735.78
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 BALL - INITIAL OIL PROD - 110 BBLS

S.W.L. (AFTER CASING):

LOG ID:
028677

WELL TYPE
Oil Well

DRILL DATE: 1987/06/07

TOWNSHIP RANGE SECTION

ELEVATION: 880FT

DRILL DEPTH: 2,776FT

63N 40W 15

UTM X UTM Y

DEPTH TO BED: 150FT

295,439.47 4,460,325.77
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 FLETCHER - OIL

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
028678

WELL TYPE
Oil Well

DRILL DATE: 1987/04/24

TOWNSHIP RANGE SECTION

ELEVATION: 880FT

DRILL DEPTH: 2,805FT

63N 40W 15

DEPTH TO BED: 340FT

UTM X UTM Y
295,439.47 4,460,222.76
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 SCHOOLER - OIL

S.W.L. (AFTER CASING):

LOG ID:
020418

WELL TYPE
Oil Well

DRILL DATE: 1961/11/14

TOWNSHIP RANGE SECTION

ELEVATION: 873FT

DRILL DEPTH: 2,960FT

63N 40W 16

DEPTH TO BED: 140FT

UTM X UTM Y
294,216.47 4,460,805.81
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 SEYMOUR - DRY & ABANDONED

S.W.L. (AFTER CASING):

LOG ID:
028214

WELL TYPE
Oil Well

DRILL DATE: 1977/12/19

TOWNSHIP RANGE SECTION

ELEVATION: 951FT

DRILL DEPTH: 3,265FT

63N 40W 16

DEPTH TO BED:

UTM X UTM Y
294,616.48 4,459,981.78
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 W.L. SCHOOLER - PLUGGED & ABANDONED - "CAMBRIAN" AT TD

S.W.L. (AFTER CASING):

LOG ID:
028650

WELL TYPE
Oil Well

DRILL DATE: 1987/07/24

TOWNSHIP RANGE SECTION

ELEVATION: 884FT

DRILL DEPTH: 3,664FT

63N 40W 16

DEPTH TO BED: 395FT

UTM X UTM Y
295,116.47 4,461,320.81
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 SCHOOLER (16-8) - PRODUCING

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028660**WELL TYPE

Oil Well

DRILL DATE: 1988/01/03TOWNSHIP RANGE SECTION

63N

40W

3

ELEVATION: 966FTDRILL DEPTH: 3,410FTDEPTH TO BED: 375FTUTM XUTM Y

295,958.47

4,463,146.84

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #3-14 SCHOOLER - DRYS.W.L. (AFTER CASING):**LOG ID:****008806**WELL TYPE

Oil Well

DRILL DATE: 1945/05/01TOWNSHIP RANGE SECTION

63N

41W

13

ELEVATION: 875FTDRILL DEPTH: 1,500FTDEPTH TO BED: 105FTUTM XUTM Y

289,495.48

4,460,503.93

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 MRS MARY MEYERSS.W.L. (AFTER CASING):**LOG ID:****028542**WELL TYPE

Oil Well

DRILL DATE: 1982/07/28TOWNSHIP RANGE SECTION

64N

38W

28

ELEVATION: 1,047FTDRILL DEPTH: 2,360FTDEPTH TO BED: 245FTUTM XUTM Y

314,282.35

4,466,167.45

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 VERNON - DRY & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****018077**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1959/05/07TOWNSHIP RANGE SECTION

64N

38W

31

ELEVATION: 1,028FTDRILL DEPTH: 212FTDEPTH TO BED: 211FTUTM XUTM Y

310,074.42

4,464,174.48

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: WATER TEST #1175S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006599**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1941/01/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,059FT
<u>DRILL DEPTH:</u>	243FT	64N	38W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	240FT				311,727.37	4,470,614.60
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL DEEPENED 130-243' - DRILLER'S LOG ONLY, 2 MI W OF			
<u>S.W.L. (AFTER CASING):</u>	40		DOTHAM			

LOG ID:**018221**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1959/05/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	996FT
<u>DRILL DEPTH:</u>	178FT	64N	38W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	174FT				310,327.38	4,472,076.67
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	WATER TEST #1182			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**018222**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1959/05/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,070FT
<u>DRILL DEPTH:</u>	224FT	64N	38W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	220FT				313,378.35	4,470,559.56
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	WATER TEST #1183			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**027731**WELL TYPE

Oil Well

<u>DRILL DATE:</u>	1974/11/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,018FT
<u>DRILL DEPTH:</u>	2,460FT	64N	39W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	300FT				308,438.40	4,472,883.73
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#1 HANNAH - PLUGGED & ABANDONED			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025319

WELL TYPE
Oil Well

DRILL DATE: 1967/07/12

TOWNSHIP RANGE SECTION
64N 39W 24

ELEVATION: 1,018FT

DRILL DEPTH: 1,920FT

UTM X UTM Y
309,853.41 4,468,002.58
ZONE 15

DEPTH TO BED: 300FT

S.W.L. (BEFORE CASING):

REMARKS: #1 BOWMAN - DRY & ABANDONED

S.W.L. (AFTER CASING):

LOG ID:
008686

WELL TYPE
Oil Well

DRILL DATE: 1944/11/28

TOWNSHIP RANGE SECTION
64N 39W 25

ELEVATION: 1,000FT

DRILL DEPTH: 1,500FT

UTM X UTM Y
309,891.41 4,466,899.55
ZONE 15

DEPTH TO BED: 235FT

S.W.L. (BEFORE CASING):

REMARKS: #1 JOHN MEYERS - DRY & ABANDONED

S.W.L. (AFTER CASING):

LOG ID:
027686

WELL TYPE
Oil Well

DRILL DATE: 1974/10/26

TOWNSHIP RANGE SECTION
64N 39W 28

ELEVATION: 1,032FT

DRILL DEPTH: 2,230FT

UTM X UTM Y
304,950.44 4,466,132.66
ZONE 15

DEPTH TO BED: 310FT

S.W.L. (BEFORE CASING):

REMARKS: #1 OSBORN - PLUGGED & ABANDONED

S.W.L. (AFTER CASING):

LOG ID:
006553

WELL TYPE
Private Well

DRILL DATE: 1940/10/01

TOWNSHIP RANGE SECTION
64N 39W 32

ELEVATION: 1,023FT

DRILL DEPTH: 300FT

UTM X UTM Y
301,969.45 4,464,470.71
ZONE 15

DEPTH TO BED: 285FT

S.W.L. (BEFORE CASING):

REMARKS: 3 MI E OF FAIRFAX, 2 MI S

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018079**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1959/05/13	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,046FT
<u>DRILL DEPTH:</u>	294FT	64N	39W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	293FT				303,584.45	4,464,416.66
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	WATER TEST #1177			

LOG ID:**018228**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1959/05/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	982FT
<u>DRILL DEPTH:</u>	257FT	64N	39W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	256FT				305,304.41	4,472,487.82
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	WATER TEST #1189			

LOG ID:**008359**WELL TYPE

Oil Well

<u>DRILL DATE:</u>	1943/09/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,013FT
<u>DRILL DEPTH:</u>	1,411FT	64N	39W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	285FT				302,289.42	4,473,532.94
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	#1 LASELL, DRY & ABANDONED; 1650' S, 330' E OF SW COR OF SEC. 5			

LOG ID:**018227**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1959/05/27	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,048FT
<u>DRILL DEPTH:</u>	312FT	64N	39W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	311FT				302,289.42	4,472,504.92
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	WATER TEST #1188			

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
028643

WELL TYPE
Oil Well

DRILL DATE: 1986/02/12

TOWNSHIP RANGE SECTION

ELEVATION: 1,039FT

DRILL DEPTH: 3,736FT

64N

39W

5

DEPTH TO BED: 405FT

UTM X

UTM Y

302,289.42 4,472,504.92
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 McCARTNEY - DRY OIL TEST

S.W.L. (AFTER CASING):

LOG ID:
018226

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1959/05/27

TOWNSHIP RANGE SECTION

ELEVATION: 994FT

DRILL DEPTH: 259FT

64N

39W

7

DEPTH TO BED: 252FT

UTM X

UTM Y

300,607.43 4,470,958.93
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: WATER TEST #1187

S.W.L. (AFTER CASING):

LOG ID:
008223

WELL TYPE
Oil Well

DRILL DATE: 1943/05/04

TOWNSHIP RANGE SECTION

ELEVATION: 1,065FT

DRILL DEPTH: 1,540FT

64N

39W

8

DEPTH TO BED: 335FT

UTM X

UTM Y

302,418.42 4,471,923.90
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 JOE ACOCK

S.W.L. (AFTER CASING):

LOG ID:
008310

WELL TYPE
Oil Well

DRILL DATE: 1943/07/03

TOWNSHIP RANGE SECTION

ELEVATION: 982FT

DRILL DEPTH: 1,403FT

64N

39W

9

DEPTH TO BED: 248FT

UTM X

UTM Y

303,820.42 4,472,075.86
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 P.R. LOW - E-LOG

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
028666

WELL TYPE
Oil Well

DRILL DATE: 1988/01/18

TOWNSHIP RANGE SECTION

ELEVATION: 1,065FT

DRILL DEPTH: 3,800FT

64N 40W 1

DEPTH TO BED: 100FT

UTM X UTM Y
299,759.43 4,473,339.02
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1-11 McCARTNEY

S.W.L. (AFTER CASING):

LOG ID:
018231

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1959/06/01

TOWNSHIP RANGE SECTION

ELEVATION: 902FT

DRILL DEPTH: 74FT

64N 40W 10

DEPTH TO BED: 69FT

UTM X UTM Y
296,602.44 4,472,558.10
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: WATER TEST #1191

S.W.L. (AFTER CASING):

LOG ID:
007801

WELL TYPE
Private Well

DRILL DATE: 1941/11/01

TOWNSHIP RANGE SECTION

ELEVATION: 965FT

DRILL DEPTH: 316FT

64N 40W 11

DEPTH TO BED: 40FT

UTM X UTM Y
297,401.44 4,471,084.03
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
008239

WELL TYPE
Oil Well

DRILL DATE: 1943/05/24

TOWNSHIP RANGE SECTION

ELEVATION: 1,075FT

DRILL DEPTH: 1,502FT

64N 40W 11

DEPTH TO BED: 275FT

UTM X UTM Y
298,801.44 4,471,884.01
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 ED WHITE ESTATE - DRY & ABANDONED

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018230

WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1959/05/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,051FT
		64N	40W	13		
<u>DRILL DEPTH:</u>	315FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	314FT				298,940.44	4,469,413.93
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	WATER TEST #1190			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
008265

WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1943/05/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	898FT
		64N	40W	15		
<u>DRILL DEPTH:</u>	212FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				295,935.45	4,470,114.04
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#2 SEYMOUR - COAL TEST			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
008266

WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1943/05/27	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	900FT
		64N	40W	15		
<u>DRILL DEPTH:</u>	205FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				296,135.45	4,470,924.06
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#1 SEYMOUR - COAL TEST			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
004474

WELL TYPE

Private Well

<u>DRILL DATE:</u>	1937/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,046FT
		64N	40W	23		
<u>DRILL DEPTH:</u>	518FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	317FT				298,685.45	4,468,058.90
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
008577

WELL TYPE
Oil Well

DRILL DATE: 1944/07/02

TOWNSHIP RANGE SECTION

ELEVATION: 1,043FT

DRILL DEPTH: 1,560FT

64N 40W 28

DEPTH TO BED: 105FT

UTM X UTM Y
294,183.46 4,466,342.98
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 H.F. BROWNING - DRY & ABANDONED

S.W.L. (AFTER CASING):

LOG ID:
008682

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1944/08/01

TOWNSHIP RANGE SECTION

ELEVATION: 1,043FT

DRILL DEPTH: 175FT

64N 40W 28

DEPTH TO BED: 110FT

UTM X UTM Y
294,183.46 4,466,342.98
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: HOMER BROWNING - COAL TEST

S.W.L. (AFTER CASING):

LOG ID:
007044

WELL TYPE
Private Well

DRILL DATE: 1941/08/01

TOWNSHIP RANGE SECTION

ELEVATION: 955FT

DRILL DEPTH: 311FT

64N 40W 32

DEPTH TO BED: 35FT

UTM X UTM Y
293,691.47 4,465,402.97
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: MADE FROM DRILLER'S LOG

S.W.L. (AFTER CASING):

LOG ID:
018233

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1959/06/02

TOWNSHIP RANGE SECTION

ELEVATION: 1,080FT

DRILL DEPTH: 236FT

64N 40W 7

DEPTH TO BED: 230FT

UTM X UTM Y
291,564.46 4,472,129.24
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: WATER TEST #1193

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018232**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1959/06/02TOWNSHIPRANGESECTIONELEVATION:

940FT

DRILL DEPTH: 76FT

64N

40W

9

DEPTH TO BED: 71FTUTM XUTM Y

294,179.45

4,472,621.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: WATER TEST #1192S.W.L. (AFTER CASING):**LOG ID:****018234**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1959/06/03TOWNSHIPRANGESECTIONELEVATION:

1,073FT

DRILL DEPTH: 250FT

64N

41W

1

DEPTH TO BED: 246FTUTM XUTM Y

289,422.46

4,474,427.38

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: WATER TEST #1194S.W.L. (AFTER CASING):**LOG ID:****007984**WELL TYPE

Private Well

DRILL DATE: 1942/10/01TOWNSHIPRANGESECTIONELEVATION:

1,132FT

DRILL DEPTH: 152FT

64N

41W

11

DEPTH TO BED:UTM XUTM Y

289,151.47

4,471,455.29

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 70**LOG ID:****008025**WELL TYPE

Private Well

DRILL DATE: 1942/06/01TOWNSHIPRANGESECTIONELEVATION:

904FT

DRILL DEPTH: 240FT

64N

41W

22

DEPTH TO BED: 58FTUTM XUTM Y

286,415.46

4,469,722.30

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL TO 58' - "OLD SLEMP PLACE"S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007736

WELL TYPE
Private Well

DRILL DATE: 1942/04/08

TOWNSHIP RANGE SECTION

ELEVATION: 975FT

DRILL DEPTH: 110FT

64N 41W 36

DEPTH TO BED: 65FT

UTM X UTM Y
290,485.47 4,466,120.08
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 0.75 MI W, 0.75 MI S OF IRISH GROVE CONSOLDTD SCHOOL - DRY

S.W.L. (AFTER CASING):

LOG ID:
018223

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1959/05/20

TOWNSHIP RANGE SECTION

ELEVATION: 1,124FT

DRILL DEPTH: 290FT

65N 38W 19

DEPTH TO BED: 284FT

UTM X UTM Y
311,962.34 4,477,028.74
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: WATER TEST #1184

S.W.L. (AFTER CASING):

LOG ID:
015688

WELL TYPE
Private Well

DRILL DATE: 1956/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 1,132FT

DRILL DEPTH: 100FT

65N 39W 1

DEPTH TO BED:

UTM X UTM Y
309,287.36 4,482,006.93
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: NO BEDROCK REACHED

S.W.L. (AFTER CASING): 85

LOG ID:
019403

WELL TYPE
Oil Well

DRILL DATE: 1960/11/23

TOWNSHIP RANGE SECTION

ELEVATION: 1,045FT

DRILL DEPTH: 1,503FT

65N 39W 10

DEPTH TO BED: 400FT

UTM X UTM Y
306,200.37 4,481,516.03
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 LELAND WHITE

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019771

WELL TYPE
Oil Well

DRILL DATE: 1961/02/01

TOWNSHIP RANGE SECTION
65N 39W 10

ELEVATION: 1,090FT

DRILL DEPTH: 1,595FT

UTM X UTM Y
306,400.38 4,480,892.00
ZONE 15

DEPTH TO BED: 370FT

S.W.L. (BEFORE CASING):

REMARKS: #2 TURNER WILSON - VERY POOR SAMPLES - NO TOPS PICKED

S.W.L. (AFTER CASING):

LOG ID:
019801

WELL TYPE
Oil Well

DRILL DATE: 1960/12/01

TOWNSHIP RANGE SECTION
65N 39W 10

ELEVATION: 1,037FT

DRILL DEPTH: 1,394FT

UTM X UTM Y
306,400.37 4,481,308.01
ZONE 15

DEPTH TO BED: 385FT

S.W.L. (BEFORE CASING):

REMARKS: #2 LELAND WHITE

S.W.L. (AFTER CASING):

LOG ID:
019802

WELL TYPE
Oil Well

DRILL DATE: 1961/01/01

TOWNSHIP RANGE SECTION
65N 39W 10

ELEVATION: 1,060FT

DRILL DEPTH: 1,419FT

UTM X UTM Y
306,100.38 4,481,100.02
ZONE 15

DEPTH TO BED: 375FT

S.W.L. (BEFORE CASING):

REMARKS: #1 TURNER WILSON - DRY & ABANDONED

S.W.L. (AFTER CASING):

LOG ID:
015668

WELL TYPE
Private Well

DRILL DATE: 1956/00/00

TOWNSHIP RANGE SECTION
65N 39W 11

ELEVATION: 1,122FT

DRILL DEPTH: 115FT

UTM X UTM Y
308,423.36 4,481,872.96
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 73



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018530**WELL TYPE

Oil Well

DRILL DATE: 1959/10/20TOWNSHIP RANGE SECTION

65N 39W 13

ELEVATION: 1,020FTDRILL DEPTH: 1,500FTUTM X UTM YDEPTH TO BED: 445FT310,375.35 4,479,357.84
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 SEAMAN - DRY & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****020745**WELL TYPE

Oil Well

DRILL DATE: 1962/02/01TOWNSHIP RANGE SECTION

65N 39W 15

ELEVATION: 1,025FTDRILL DEPTH: 1,424FTUTM X UTM YDEPTH TO BED: 360FT306,147.38 4,480,302.00
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 WHITED - DRY & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****007968**WELL TYPE

Oil Well

DRILL DATE: 1942/09/18TOWNSHIP RANGE SECTION

65N 39W 29

ELEVATION: 1,092FTDRILL DEPTH: 2,427FTUTM X UTM YDEPTH TO BED: 360FT302,502.41 4,475,852.00
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 GLEN GRAY, 3 MI SE OF TARKIO - DRY & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****012111**WELL TYPE

Oil Well

DRILL DATE: 1949/12/01TOWNSHIP RANGE SECTION

65N 39W 29

ELEVATION: 1,070FTDRILL DEPTH: 1,493FTUTM X UTM YDEPTH TO BED: 60FT302,602.41 4,475,955.00
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #2 GLEN GRAY - SAMPLES 60-80 MAY BE "BOULDER IN DRIFT"S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020069**WELL TYPE

Oil Well

DRILL DATE: 1961/07/06TOWNSHIPRANGESECTIONELEVATION:

1,097FT

DRILL DEPTH: 1,890FT

65N

39W

3

DEPTH TO BED: 329FTUTM XUTM Y

307,250.37

4,482,099.00

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 SCAMMAN - DRY & ABANDONED - E LOGS AVAILABLES.W.L. (AFTER CASING):**LOG ID:****008633**WELL TYPE

Oil Well

DRILL DATE: 1944/08/25TOWNSHIPRANGESECTIONELEVATION:

1,087FT

DRILL DEPTH: 1,475FT

65N

39W

31

DEPTH TO BED: 355FTUTM XUTM Y

302,130.41

4,475,210.00

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 RANKIN ESTATES - DRY & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****008051**WELL TYPE

Oil Well

DRILL DATE: 1942/12/01TOWNSHIPRANGESECTIONELEVATION:

1,077FT

DRILL DEPTH: 1,454FT

65N

39W

32

DEPTH TO BED: 393FTUTM XUTM Y

302,355.41

4,475,568.00

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: YIELD 26 BBLS/DAY OIL - relogged by Shearrow Feb 2, 1951S.W.L. (AFTER CASING):**LOG ID:****008435**WELL TYPE

Oil Well

DRILL DATE: 1943/11/02TOWNSHIPRANGESECTIONELEVATION:

1,038FT

DRILL DEPTH: 1,398FT

65N

39W

32

DEPTH TO BED: 268FTUTM XUTM Y

302,555.41

4,475,363.99

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #2 JIM COOK - YIELD 60 BBL/DAYS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
008538

WELL TYPE
Oil Well

DRILL DATE: 1944/04/01 TOWNSHIP 65N RANGE 39W SECTION 32 ELEVATION: 1,042FT
DRILL DEPTH: 1,401FT UTM X 302,555.41 UTM Y 4,475,157.98
DEPTH TO BED: 319FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 WALLACE WATKINS - YIELDED 30 BBL/DAY
S.W.L. (AFTER CASING):

LOG ID:
008568

WELL TYPE
Oil Well

DRILL DATE: 1944/06/02 TOWNSHIP 65N RANGE 39W SECTION 32 ELEVATION: 1,033FT
DRILL DEPTH: 1,391FT UTM X 302,755.41 UTM Y 4,475,157.97
DEPTH TO BED: 315FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #2 WALLACE WATKINS
S.W.L. (AFTER CASING):

LOG ID:
008602

WELL TYPE
Oil Well

DRILL DATE: 1944/06/24 TOWNSHIP 65N RANGE 39W SECTION 32 ELEVATION: 1,076FT
DRILL DEPTH: 1,442FT UTM X 302,355.41 UTM Y 4,475,157.99
DEPTH TO BED: 350FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #3 WALLACE WATKINS
S.W.L. (AFTER CASING):

LOG ID:
008609

WELL TYPE
Oil Well

DRILL DATE: 1944/09/11 TOWNSHIP 65N RANGE 39W SECTION 32 ELEVATION: 1,046FT
DRILL DEPTH: 1,411FT UTM X 302,355.41 UTM Y 4,474,953.98
DEPTH TO BED: 345FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #5 WALLACE WATKINS - YIELD 40 BBL/DAY
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008613**WELL TYPE

Oil Well

DRILL DATE: 1944/07/26TOWNSHIP RANGE SECTION

65N

39W

32

ELEVATION: 1,075FTDRILL DEPTH: 1,453FTUTM XUTM YDEPTH TO BED: 347FT

302,755.41

4,475,363.98

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #3 JIM COOK - YIELD "VERY LITTLE OIL AND SOME WATER"S.W.L. (AFTER CASING):**LOG ID:****008614**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIP RANGE SECTION

65N

39W

32

ELEVATION: 1,065FTDRILL DEPTH: 1,432FTUTM XUTM YDEPTH TO BED: 320FT

302,355.41

4,475,363.99

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #4 JIM COOKS.W.L. (AFTER CASING):**LOG ID:****008626**WELL TYPE

Oil Well

DRILL DATE: 1944/08/16TOWNSHIP RANGE SECTION

65N

39W

32

ELEVATION: 1,073FTDRILL DEPTH: 1,438FTUTM XUTM YDEPTH TO BED: 350FT

302,555.41

4,474,953.97

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #4 WALLACE WATKINS - YIELDED 168 BBL/DAY OF OILS.W.L. (AFTER CASING):**LOG ID:****008627**WELL TYPE

Oil Well

DRILL DATE: 1944/09/21TOWNSHIP RANGE SECTION

65N

39W

32

ELEVATION: 1,026FTDRILL DEPTH: 1,387FTUTM XUTM YDEPTH TO BED: 318FT

302,755.41

4,474,953.97

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #6 WALLACE WATKINSS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008632**WELL TYPE

Oil Well

DRILL DATE: 1944/09/07TOWNSHIP RANGE SECTION

65N 39W 32

ELEVATION: 1,038FTDRILL DEPTH: 1,398FTUTM X UTM YDEPTH TO BED: 330FT302,555.41 4,474,747.97
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 CRAIGMILES.W.L. (AFTER CASING):**LOG ID:****016611**WELL TYPE

Oil Well

DRILL DATE: 1957/08/23TOWNSHIP RANGE SECTION

65N 39W 32

ELEVATION: 1,057FTDRILL DEPTH: 1,418FTUTM X UTM YDEPTH TO BED: 370FT302,355.41 4,475,568.00
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #6 JIM COOK - YIELD 12 BBLS/DAY OILS.W.L. (AFTER CASING):**LOG ID:****028235**WELL TYPE

Oil Well

DRILL DATE: 1973/00/00TOWNSHIP RANGE SECTION

65N 39W 32

ELEVATION: 1,085FTDRILL DEPTH: 1,416FTUTM X UTM YDEPTH TO BED: 375FT302,355.41 4,474,747.98
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #3 CRAIGMILE - PLUGGED & ABANDONED, DEVP WELL FOR
TARKIO FIELDS.W.L. (AFTER CASING):**LOG ID:****028690**WELL TYPE

Oil Well

DRILL DATE: 1989/05/08TOWNSHIP RANGE SECTION

65N 39W 32

ELEVATION: 1,036FTDRILL DEPTH: 1,990FTUTM X UTM YDEPTH TO BED: 375FT303,255.41 4,474,235.93
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 GLOVER FARMS - 29 BBLS/DAY OIL - 28.2 GRAVITYS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028634**WELL TYPE

Oil Well

DRILL DATE: 1985/04/14TOWNSHIP RANGE SECTION

65N 39W 33

ELEVATION: 1,087FTDRILL DEPTH: 3,450FTDEPTH TO BED: 425FTUTM X UTM Y304,064.41 4,474,998.93
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 CARROL - DRYS.W.L. (AFTER CASING):**LOG ID:****018225**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1959/05/25TOWNSHIP RANGE SECTION

65N 39W 36

ELEVATION: 1,094FTDRILL DEPTH: 327FTDEPTH TO BED: 325FTUTM X UTM Y308,816.39 4,473,910.75
ZONE 15S.W.L. (BEFORE CASING):REMARKS: WATER TEST #1186S.W.L. (AFTER CASING):**LOG ID:****027722**WELL TYPE

Oil Well

DRILL DATE: 1974/11/18TOWNSHIP RANGE SECTION

65N 39W 4

ELEVATION: 970FTDRILL DEPTH: 2,160FTDEPTH TO BED: 230FTUTM X UTM Y305,523.37 4,483,421.10
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 WHITE - PLUGGED & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****020746**WELL TYPE

Oil Well

DRILL DATE: 1961/12/01TOWNSHIP RANGE SECTION

65N 39W 9

ELEVATION: 970FTDRILL DEPTH: 1,424FTDEPTH TO BED: 355FTUTM X UTM Y305,372.38 4,480,952.04
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 WHITE - DRY & ABANDONEDS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**000102**WELL TYPE

Oil Well

DRILL DATE: 1915/12/01TOWNSHIP RANGE SECTION

65N 40W 11

ELEVATION: 914FTDRILL DEPTH: 2,340FTDEPTH TO BED: 170FTUTM X UTM Y298,451.41 4,480,730.27
ZONE 15S.W.L. (BEFORE CASING):REMARKS: SEE LOG #1862S.W.L. (AFTER CASING):**LOG ID:****001812**WELL TYPE

Oil Well

DRILL DATE: 1914/00/00TOWNSHIP RANGE SECTION

65N 40W 11

ELEVATION: 911FTDRILL DEPTH: 1,551FTDEPTH TO BED: 175FTUTM X UTM Y298,651.41 4,480,730.27
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 RANKIN (TWO LOGS SAY "#2")S.W.L. (AFTER CASING):**LOG ID:****001862**WELL TYPE

Oil Well

DRILL DATE: 1915/12/01TOWNSHIP RANGE SECTION

65N 40W 11

ELEVATION: 914FTDRILL DEPTH: 2,340FTDEPTH TO BED: 497FTUTM X UTM Y298,651.41 4,480,730.27
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #2 FEE - DRYS.W.L. (AFTER CASING):**LOG ID:****018238**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1959/06/09TOWNSHIP RANGE SECTION

65N 40W 11

ELEVATION: 1,016FTDRILL DEPTH: 247FTDEPTH TO BED: 241FTUTM X UTM Y297,651.42 4,480,730.30
ZONE 15S.W.L. (BEFORE CASING):REMARKS: WATER TEST #1198S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
000101

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1931/10/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	947FT
<u>DRILL DEPTH:</u>	210FT	65N	40W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	180FT				298,013.42	4,479,329.25
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> "300' N OF #3912" - DRILLERS LOG ONLY				
<u>S.W.L. (AFTER CASING):</u>	33					

LOG ID:
008652

WELL TYPE
Oil Well

<u>DRILL DATE:</u>	1944/07/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,018FT
<u>DRILL DEPTH:</u>	1,447FT	65N	40W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	290FT				296,087.42	4,480,205.34
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u> #1 GRIFFIN - DRY & ABANDONED				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
008964

WELL TYPE
Oil Well

<u>DRILL DATE:</u>	1945/10/27	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,050FT
<u>DRILL DEPTH:</u>	1,410FT	65N	40W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	318FT				296,987.42	4,479,999.30
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u> #1 TARKIO COLLEGE - DRY & ABANDONED - DRILLER'S TIME LOG				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
009237

WELL TYPE
Oil Well

<u>DRILL DATE:</u>	1946/07/11	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,023FT
<u>DRILL DEPTH:</u>	1,385FT	65N	40W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	285FT				296,387.42	4,480,617.34
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u> #2 GRIFFIN - DRY & ABANDONED				
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009254**WELL TYPE

Oil Well

DRILL DATE: 1946/10/25TOWNSHIPRANGESECTIONELEVATION:

1,055FT

DRILL DEPTH: 1,405FT

65N

40W

15

DEPTH TO BED: 480FTUTM XUTM Y

295,987.43

4,479,999.34

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #3 GRIFFIN - MANY SKIPPED INTERVALSS.W.L. (AFTER CASING):**LOG ID:****020070**WELL TYPE

Oil Well

DRILL DATE: 1961/07/26TOWNSHIPRANGESECTIONELEVATION:

1,019FT

DRILL DEPTH: 625FT

65N

40W

16

DEPTH TO BED: 365FTUTM XUTM Y

295,783.43

4,479,865.34

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 VOLKER - DRY & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****018237**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1959/06/08TOWNSHIPRANGESECTIONELEVATION:

1,052FT

DRILL DEPTH: 210FT

65N

40W

19

DEPTH TO BED: 207FTUTM XUTM Y

291,164.45

4,479,150.47

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: WATER TEST #1197S.W.L. (AFTER CASING):**LOG ID:****018236**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1959/06/08TOWNSHIPRANGESECTIONELEVATION:

1,020FT

DRILL DEPTH: 265FT

65N

40W

29

DEPTH TO BED: 260FTUTM XUTM Y

292,710.45

4,476,087.33

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: WATER TEST #1196S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015690**WELL TYPE

Private Well

DRILL DATE: 1956/10/16TOWNSHIP RANGE SECTIONELEVATION: 1,023FTDRILL DEPTH: 262FT

65N 40W 36

DEPTH TO BED:UTM X UTM Y
299,208.42 4,475,158.09
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: DRIFT TO TDS.W.L. (AFTER CASING): 254**LOG ID:****008844**WELL TYPE

Oil Well

DRILL DATE: 1945/08/05TOWNSHIP RANGE SECTIONELEVATION: 1,033FTDRILL DEPTH: 1,384FT

65N 40W 9

DEPTH TO BED: 708FTUTM X UTM Y
295,822.42 4,480,882.37
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 W.F. RANKIN - DRY & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****018239**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1959/06/10TOWNSHIP RANGE SECTIONELEVATION: 1,138FTDRILL DEPTH: 356FT

65N 40W 9

DEPTH TO BED: 355FTUTM X UTM Y
294,422.43 4,482,268.46
ZONE 15S.W.L. (BEFORE CASING):REMARKS: WATER TEST #1199S.W.L. (AFTER CASING):**LOG ID:****002218**WELL TYPE

Oil Well

DRILL DATE: 1928/12/08TOWNSHIP RANGE SECTIONELEVATION: 1,122FTDRILL DEPTH: 1,713FT

65N 41W 20

DEPTH TO BED: 90FTUTM X UTM Y
283,114.38 4,479,152.61
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 W.A. BISHOP - DRY & ABANDONEDS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007096

WELL TYPE
Private Well

DRILL DATE: 1941/08/01 TOWNSHIP 65N RANGE 41W SECTION 24 ELEVATION: 1,080FT
DRILL DEPTH: 238FT UTM X 289,570.46 UTM Y 4,479,072.53
DEPTH TO BED: 204FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 2 GPM @ 235', INCREASED TO 4.5 WHEN ADICIZED
S.W.L. (AFTER CASING):

LOG ID:
008878

WELL TYPE
Oil Well

DRILL DATE: 1945/08/16 TOWNSHIP 65N RANGE 41W SECTION 30 ELEVATION: 894FT
DRILL DEPTH: 1,500FT UTM X 281,460.36 UTM Y 4,477,215.56
DEPTH TO BED: 150FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 CLOEPFIL & RAMSEY - DRY & ABANDONED
S.W.L. (AFTER CASING):

LOG ID:
024140

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1967/01/12 TOWNSHIP 65N RANGE 41W SECTION 31 ELEVATION: 890FT
DRILL DEPTH: 94FT UTM X 282,808.39 UTM Y 4,475,412.50
DEPTH TO BED: 94FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: WATER TEST
S.W.L. (AFTER CASING): 14

LOG ID:
020331

WELL TYPE
Oil Well

DRILL DATE: 1961/09/28 TOWNSHIP 65N RANGE 41W SECTION 32 ELEVATION: 1,154FT
DRILL DEPTH: 2,031FT UTM X 284,405.41 UTM Y 4,476,350.52
DEPTH TO BED: 700FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 PIERCE - DRY & ABANBDONED - PLUGGED
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002041**WELL TYPE

Unknown Well

<u>DRILL DATE:</u>	1910/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,015FT
<u>DRILL DEPTH:</u>	679FT	65N	41W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	171FT				286,027.44	4,476,063.50
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	PURPOSE OF WELL UNKNOWN - DRILLERS LOG ONLY			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**018235**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1959/06/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	983FT
<u>DRILL DEPTH:</u>	114FT	65N	41W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	108FT				289,477.46	4,476,029.43
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	WATER TEST #1195			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**024150**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1966/06/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	895FT
<u>DRILL DEPTH:</u>	32FT	65N	42W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					278,141.29	4,480,879.68
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	NO BEDROCK HIT			
<u>S.W.L. (AFTER CASING):</u>	4					

LOG ID:**024151**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1967/02/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	890FT
<u>DRILL DEPTH:</u>	32FT	65N	42W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					276,396.29	4,475,932.57
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	TD IN ALLUVIUM			
<u>S.W.L. (AFTER CASING):</u>	12					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024154

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1967/02/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	890FT
<u>DRILL DEPTH:</u>	86FT	65N	42W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	86FT				275,176.27	4,476,102.58
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	BBEDROCK OR BOULDER AT 86'			
<u>S.W.L. (AFTER CASING):</u>	13					

LOG ID:
024146

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1967/02/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	890FT
<u>DRILL DEPTH:</u>	88FT	65N	42W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					279,384.34	4,475,961.55
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	NO BEDROCK HIT			
<u>S.W.L. (AFTER CASING):</u>	13					

LOG ID:
024720

WELL TYPE
Industrial High Capacity Well

<u>DRILL DATE:</u>	1967/01/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	893FT
<u>DRILL DEPTH:</u>	90FT	65N	42W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					278,184.32	4,475,757.55
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	TD IN DRIFT; @ ROCKPORT			
<u>S.W.L. (AFTER CASING):</u>	15					

LOG ID:
020300

WELL TYPE
Oil Well

<u>DRILL DATE:</u>	1961/08/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	973FT
<u>DRILL DEPTH:</u>	1,757FT	66N	38W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	200FT				308,722.33	4,486,746.06
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#1 SHAUM - DRY & ABANDONED - E-LOG AVAILABLE			
<u>S.W.L. (AFTER CASING):</u>						

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
006994

WELL TYPE
Oil Well

DRILL DATE: 1941/05/11

TOWNSHIP RANGE SECTION

ELEVATION: 1,008FT

DRILL DEPTH: 2,301FT

66N 39W 12

DEPTH TO BED: 145FT

UTM X UTM Y
307,708.28 4,490,156.14
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 McGINNIS

S.W.L. (AFTER CASING):

LOG ID:
015692

WELL TYPE
Private Well

DRILL DATE: 1956/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 1,084FT

DRILL DEPTH: 302FT

66N 39W 15

DEPTH TO BED:

UTM X UTM Y
304,312.32 4,488,570.24
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: NO BEDROCK DRILLED

S.W.L. (AFTER CASING): 162

LOG ID:
027714

WELL TYPE
Oil Well

DRILL DATE: 1974/11/24

TOWNSHIP RANGE SECTION

ELEVATION: 1,070FT

DRILL DEPTH: 1,950FT

66N 39W 15

DEPTH TO BED: 300FT

UTM X UTM Y
305,212.31 4,489,080.22
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 BERNARD - PLUGGED & ABANDONED

S.W.L. (AFTER CASING):

LOG ID:
020301

WELL TYPE
Oil Well

DRILL DATE: 1961/08/03

TOWNSHIP RANGE SECTION

ELEVATION: 946FT

DRILL DEPTH: 1,727FT

66N 39W 23

DEPTH TO BED: 165FT

UTM X UTM Y
306,893.34 4,486,889.13
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 MARTIN - DRY & ABANDONED - E-LOG AVAILABLE

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018263**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1959/06/18TOWNSHIP RANGE SECTIONELEVATION: 1,002FTDRILL DEPTH: 55FT

66N 40W 11

DEPTH TO BED:UTM X UTM Y
297,251.31 4,491,882.53
ZONE 15S.W.L. (BEFORE CASING):REMARKS: WATER TEST #1209 - ABANDONED, EQUIPMENT TROUBLES.W.L. (AFTER CASING):**LOG ID:****018042**WELL TYPE

Oil Well

DRILL DATE: 1959/05/01TOWNSHIP RANGE SECTIONELEVATION: 1,073FTDRILL DEPTH: 1,537FT

66N 40W 22

DEPTH TO BED: 376FTUTM X UTM Y
294,152.40 4,487,272.60
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 GRIFFINS.W.L. (AFTER CASING):**LOG ID:****018248**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1959/06/17TOWNSHIP RANGE SECTIONELEVATION: 1,107FTDRILL DEPTH: 348FT

66N 40W 22

DEPTH TO BED: 344FTUTM X UTM Y
295,552.37 4,488,706.56
ZONE 15S.W.L. (BEFORE CASING):REMARKS: WATER TEST #1208S.W.L. (AFTER CASING):**LOG ID:****018247**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1959/06/17TOWNSHIP RANGE SECTIONELEVATION: 1,070FTDRILL DEPTH: 340FT

66N 40W 28

DEPTH TO BED: 338FTUTM X UTM Y
293,906.41 4,487,127.60
ZONE 15S.W.L. (BEFORE CASING):REMARKS: WATER TEST #1207S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018240**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1959/06/10TOWNSHIP RANGE SECTION

66N

40W

32

ELEVATION: 1,014FTDRILL DEPTH: 271FTUTM XUTM YDEPTH TO BED: 264FT

290,865.44

4,484,170.64

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: WATER TEST #1200S.W.L. (AFTER CASING):**LOG ID:****019931**WELL TYPE

Oil Well

DRILL DATE: 1961/06/14TOWNSHIP RANGE SECTION

66N

40W

33

ELEVATION: 1,095FTDRILL DEPTH: 1,988FTUTM XUTM YDEPTH TO BED: 410FT

293,871.42

4,485,531.58

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 RANKIN - DRY & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****018244**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1959/06/15TOWNSHIP RANGE SECTION

66N

40W

6

ELEVATION: 1,056FTDRILL DEPTH: 295FTUTM XUTM YDEPTH TO BED:

290,849.31

4,493,832.78

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: WATER TEST #1204S.W.L. (AFTER CASING):**LOG ID:****018245**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1959/06/16TOWNSHIP RANGE SECTION

66N

40W

6

ELEVATION: 1,055FTDRILL DEPTH: 286FTUTM XUTM YDEPTH TO BED: 283FT

290,849.31

4,493,832.78

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: WATER TEST #1205S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018246**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1959/06/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,110FT
<u>DRILL DEPTH:</u>	376FT	66N	40W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	374FT				292,410.33	4,492,019.70
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	WATER TEST #1206			

LOG ID:**018243**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1959/06/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,040FT
<u>DRILL DEPTH:</u>	311FT	66N	41W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	303FT				287,843.34	4,492,458.85
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	WATER TEST #1203			

LOG ID:**012334**WELL TYPE

Oil Well

<u>DRILL DATE:</u>	1953/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	945FT
<u>DRILL DEPTH:</u>	2,550FT	66N	41W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	390FT				284,296.33	4,489,381.84
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	#1 RUSS HERRON - DRY & ABD - 9 MI N OF ROCKPORT ON HWY 295			

LOG ID:**018242**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1959/06/11	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	944FT
<u>DRILL DEPTH:</u>	166FT	66N	41W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	155FT				284,096.33	4,489,381.84
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	WATER TEST #1202			

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018241

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1959/06/11	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,065FT
<u>DRILL DEPTH:</u>	298FT	66N	41W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	295FT				287,667.43	4,487,378.82
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	WATER TEST #1201			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
008267

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1943/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,145FT
<u>DRILL DEPTH:</u>	376FT	66N	41W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	268FT				285,395.41	4,485,252.78
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	50					

LOG ID:
006855

WELL TYPE
Oil Well

<u>DRILL DATE:</u>	1941/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	907FT
<u>DRILL DEPTH:</u>	3,286FT	66N	42W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	230FT				276,145.19	4,489,387.85
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#1 JUNE HAYES - 2.5 MI NW OF WATSON			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
024148

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1966/06/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	905FT
<u>DRILL DEPTH:</u>	67FT	66N	42W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					275,998.19	4,489,261.85
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	RIVER PROFILE STUDY - ALLUVIUM TO TD			
<u>S.W.L. (AFTER CASING):</u>						

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
028694

WELL TYPE
Oil Well

DRILL DATE: 1989/12/13

TOWNSHIP RANGE SECTION

ELEVATION: 902FT

DRILL DEPTH: 1,800FT

66N 42W 36

DEPTH TO BED: 800FT

UTM X UTM Y
278,646.28 4,485,448.79
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 HOLMES - DRY

S.W.L. (AFTER CASING):

LOG ID:
024149

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 906FT

DRILL DEPTH: 37FT

67N 42W 32

DEPTH TO BED:

UTM X UTM Y
271,831.04 4,496,008.93
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: ALLUVIUM TO TD

S.W.L. (AFTER CASING):

LOG ID:
024143

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 905FT

DRILL DEPTH: 32FT

67N 42W 33

DEPTH TO BED:

UTM X UTM Y
274,855.08 4,495,929.92
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: RIVER PROFILE STUDY - ALLUVIUM TO TD

S.W.L. (AFTER CASING):

LOG ID:
024155

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 908FT

DRILL DEPTH: 47FT

67N 43W 35

DEPTH TO BED:

UTM X UTM Y
268,364.98 4,496,235.95
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: ALLUVIUM TO TD

S.W.L. (AFTER CASING):

ATCHISON